



kramer

C-HM/HM/PICO

Ultra-Slim Flexible High-Speed HDMI Cable with Ethernet

| 4K/60 UHD (4:4:4) | 4K HDR



Kramer's C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet. The slim HDMI connector and narrower cable diameter fits more easily into tight spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz (4:4:4)

FEATURES

Max Resolution - 4K@60Hz (4:4:4)

Quality Performance - Kramer's new HDMI cables provide an uncompressed digital link between consumer electronics equipment such as DVD players, set-top boxes and audio/video monitors such as plasma display screens for high-definition TVs

High-Quality Connectors - Slim HDMI connector heads 16.0 mm wide and 8.0mm thick (5/8" wide and 5/16" thick)

Space Saving - A tighter bend radius combined with the low-profile connector can save up to 1" of depth behind the equipment

HDMI Support - Signals up to ultra-HD 4K, HDMI Ethernet Channel, 3D, x.v.Color™, Deep Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC

Available Colors - Black, blue, green, yellow, orange, red, pink and white

Varied Selection of Lengths - Available in versions of 0.3 to 3.0m (1, 2, 3, 6 and 10ft)



kramer

TECHNICAL SPECIFICATIONS

| | |
|------------|---|
| Video | Max Resolution for 3-6ft (0.9-1.8m) lengths: 4K60Hz (4:4:4) Max Resolution for 10ft (3m) length: 4K60Hz (4:2:0) Max Data Rate for 3-6ft (0.9-1.8m) lengths: 18Gbps (6 Gbps per channel) Max Data Rate for 10ft (3m) length: 10.2Gbps (3.4 Gbps per channel) HDMI Support HDCP 2.2, EDID, CEC, HDR-10, HLG, Dolby Vision |
| Audio | Supported Audio Formats: Dolby Digital Plus, Dolby TrueHD, DTS-HD Master Audio™, DVD Audio, SA-CD |
| PHYSICAL | Connectors: 2 Male HDMI Type A, 24K gold-plated connector Bending radius: 36mm |
| CONDUCTORS | Diameter: 34AWG(7/0.06) Material: Tinned Copper |
| SCREENING | Type: Triple shielding |
| JACKET | Material: PVC Available Colors: Black, blue, green, yellow, orange, red, pink and white Diameter: 3.6± 0.15mm |
| ELECTRICAL | Temperature Rating: 80°C Voltage Rating: 30V Conductor Resistance: 34AWG-1.08KΩ/KM MAX. at 20°C |
| REGULATORY | Rating (NEC/UL/CSA): VW-1 |





kramer

CONFIGURATIONS

| | |
|--------------------|--|
| C-HM/HM/PICO/BK-1 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/BK-2 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/BK-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/BK-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/BK-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/BL-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue |
| C-HM/HM/PICO/BL-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue |
| C-HM/HM/PICO/BL-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue |
| C-HM/HM/PICO/GR-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green |
| C-HM/HM/PICO/BK-5 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet — Black 1.5m (5ft) |
| C-HM/HM/PICO/GR-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green |
| C-HM/HM/PICO/BK-5 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black |
| C-HM/HM/PICO/GR-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green |
| C-HM/HM/PICO/YL-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow |
| C-HM/HM/PICO/YL-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow |
| C-HM/HM/PICO/YL-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow |
| C-HM/HM/PICO/OR-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange |
| C-HM/HM/PICO/OR-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange |
| C-HM/HM/PICO/OR-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange |
| C-HM/HM/PICO/RD-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red |
| C-HM/HM/PICO/RD-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red |
| C-HM/HM/PICO/RD-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red |
| C-HM/HM/PICO/PK-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink |
| C-HM/HM/PICO/PK-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink |
| C-HM/HM/PICO/PK-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink |
| C-HM/HM/PICO/WH-3 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White |
| C-HM/HM/PICO/WH-6 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White |
| C-HM/HM/PICO/WH-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White |